Read your Scintilla mail in Outlook 2010

- Open Microsoft Outlook.
- Press File and then Add Account.



1/3

- Select Manually configure server settings or additional server types and press next.
- Select Internet E-mail and press next.
- Type your name and your email address.
- Select by Account Type IMAP.
- Type by incoming mail server: imap.scintilla.utwente.nl
- Type by outgoing mail server: smtp.scintilla.utwente.nl
- Type your username and your password.
- Press More Settings.

		2			
User Information		Test Account Settings			
Your Name:	uter Bakker - E.T.S.V. Scintila	After filing out the information on this screen, we			
E-mail Address:	wouterb@scintilla.utwente.nl	below. (Requires network connection)			
Server Information					
Account Type:	IMAP 👻				
Incoming mail server:	imap.scintilla.utwente.nl	Test Account Settings by dicking the Next button			
Outgoing mail server (SMTP):	smtp.scintilla.utwente.nl				
Logon Information					
User Name:	wouterb				
Password:					
Require logon using Secure P	emember password Password Authentication (SPA)	More Settings			

- Press Outgoing Server.
- Select My outgoing server (SMTP) requires authentication.
- Select Use same settings as my incoming mail server.

Last update: 2016/10/12 20:57

Internet E-mail Settings								
General		Sent Items		Deleted Items				
Outgoing Server		Connection		Advanced				
My outgoing server (SMTP) requires authentication								
O Use same settings as my incoming mail server								
C Log on using								
User Name:								
Password:								
	Ren	nember password			_			
Require Secure Password Authentication (SPA)								
L		_						
			OK	Cano	el			

- Select Advanced.
- Select for the incoming server and the outgoing server TLS as encrypting.
- Type 143 as port number for the incoming server.
- Type 587 as port number for the outgoing server.

2025/05/20 05:30

3/3

Internet E-mail Setting	<u>js</u>	×				
General	Sent Items	Deleted Items				
Outgoing Server	Connection	Advanced				
Server Port Numbers						
Incoming server (IM	IAP): 993 Use D	Defaults				
Use the following type of encrypted connection: SSL						
Outgoing server (SMTP): 465						
Use the following type of encrypted connection: SSL						
Server Timeouts						
Short	Long 1 minute	1				
Folders		\				
Root folder path:						
		OK Cancel				

- Press OK.
- Press next.
- Press close.
- Press Finish

From: https://oldwiki.scintilla.utwente.nl/ - **old wiki**

Permanent link: https://oldwiki.scintilla.utwente.nl/it:mail:setup-outlook



Last update: 2016/10/12 20:57